

DATA SHEET 14FI6.125.33525

## Filo red

Regulus has traditionally helped protect the edges of technical drawings. As early as the first half of this past century, devices and adhesive tapes were produced and used by engineers and architects all over the world to identify and protect their plans. Even in this age of digitalization and CAD, there are cases where tear-proof paper edges can come in extremely handy - the very purpose for which Regulus has supplied Filo® binding tape millions of times.

### Rolls

Art.Number	Width (mm)	Length (m)
14FI6.125.33525	13	25

### Technical data

#### Characteristic



- Tear resistant
- Adhesive light

#### Specifications

Width (mm)	13
Thickness	125 my
Length (m)	25
Base Material	Embossed special paper with thread
Packing quantity	10 rolls

#### Storage

- Store in a cool and dry place

#### Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to

our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.

