



Sticky Jet CL

Special coated film with a permanent adhesive backing that sticks to most clean surfaces. It can be used to create your own unique indoor stickers, labels, signage, decals, mock ups etc.

Printing Systems



Formats

| Art.Number | Format | Nominal thickness (mm) | Packing quantity |
|-----------------|--------|------------------------|------------------|
| 2939C.050.44100 | 0.050 | A4 | 50 |
| 2939C.050.44800 | 0.050 | A4 | 500 |

Technical data

Characteristic

- High resolution
- No bleeding
- Permanent self adhesive
- Fast dry

Finish

Clear glossy

Specifications

| Coating Printside | Ink Jet |
|-------------------|------------|
| Width (inch) | 8.27 |
| Width (mm) | 210 |
| Printside | Clear side |
| Format | A4 |



| Length (inch) | 11.69 |
|-------------------------|--|
| Length (mm) | 297 |
| Nominal thickness (mil) | 2 |
| Nominal thickness (mm) | 0.050 |
| Backside | Self adhesive with paper release liner |
| Base Material | Polyester film |
| Packing quantity | 50 |

Compatibility

• For use on most small format lnk Jet printers such as: HP, Canon, Epson, Apple, Digital, Kodak, Lexmark, Olivetti, Tektronix, Xerox, etc.

Handling

- Please follow the handling instructions supplied with this product as well as the Ink Jet Printer manufacturers manual.
- Avoid moisture and fingerprints.

Storage

- Once packaging is opened, store at a room temperature of 15 25°C and at a humidity of 30 60 %
- Store in a cool and dry place

Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.



