

DATA SHEET 14MFE.130.35100

REGUmask MFE 2

Since the early days, plotter- or hand-cut masking stencils have been indispensable tools in classic screen printing. Even today, a red light block-out layer represents an alternative to film for certain techniques (e.g., in textile printing). The major features of REGUmask® masking film include perfect exposure cover, precise cutting edges and simple trimming.

Rolls

Art.Number	Width (mm)	Length (m)
14MFE.130.30300	1030	10
14MFE.130.30800	1030	50
14MFE.130.31800	1210	10
14MFE.130.32300	1210	50
14MFE.130.35100	500	50
14MFE.130.36200	600	50

Technical data

Characteristic

Area of Application:

For efficient masking and extracting, masking of negatives, masking stencils for retouching and to make daylight films and plates.

Properties:

- Smooth, wafer-thin cutting layer
- The layer is easy to cut and strip and is reglueable
- Extraordinary visual transparency
- Blocks out copying light
- Optimally suited for manual and plotter processing

Finish

True-to-size crystal-clear polyester substrate including a wafer-thin tear-proof cutting layer, ruby red (63).

Specifications

Width (mm)	500
Core Diameter	76 mm
Length (m)	50
Surface treatment	cutting layer, ruby red
Base Material	Polyester, 130 my

Storage

- Store in a cool and dry place

Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.

