

DATA SHEET 29800.170.44000

Color Laser Paper

Glossy paper for photo images and high quality reports, suitable for most colour laser printers. This glossy Color Laser Paper is printable on both sides and is available in a variety of different weights.

Printing Systems



Formats

Art.Number	Basic weight (g)	Format	Packing quantity
29800.150.44000	150	A4	100
29800.150.44800	150	A4	500
29800.170.44000	170	A4	100
29800.200.44000	200	A4	100

Rolls

Art.Number	Basic weight (g)	Width (mm)	Length (m)
29800.130.39400	130	914	100

Technical data

Characteristic

- Duplex printing possible
- True colour
- Excellent runnability
- Excellent toner bonding
- Highly universal

Finish

- White glossy

Specifications

Basic weight (g)	170
Basic weight (oz)	6
Coating Printsides	Laser & Copier colour
Width (inch)	8.27
Width (mm)	210
Printside	Printable both sides
Format	A4
Length (inch)	11.69
Length (mm)	297
Base Material	Paper
Packing quantity	100

Compatibility

- For use on most Mono & Colour Laser Printers.

Handling

- Between 15-30°C and 30-70% r.h.
- For optimum toner bonding we recommend to use the "heavy paper" printing mode.
- Please follow the handling instructions supplied with this product as well as the Copier / Printer manufacturers manual.
- Avoid moisture and fingerprints.

Storage

- Once packaging is opened, store at a room temperature of 15 - 25°C and at a humidity of 30 - 60 %
- Shelf life 1 year after delivery (under recommended storage conditions)
- Store in a cool and dry place

Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.