

DATA SHEET 38022.140.43000

## Signolit SC 22

Matt white film provides brilliant, vibrant images onto tear free polyester film which does not require lamination. The imaged film has outstanding toner bonding and good water resistance. Ideal for long life, archival applications and as a universal colour toner film. It has the same printable coating on both sides. To produce durable manuals, outdoor signs, point of sale, point of purchase, charts, maps, signage and menu cards.

### Printing Systems



### Formats

Art.Number	Thickness	Format	Packing quantity
38022.140.44000	0.140 mm	DIN A4	100 sheets
38022.140.43000	0.140 mm	DIN A3	100 sheets

### Technical data

#### Characteristic

- Superb ink adhesion and image transfer
- Duplex printing possible
- High brilliance of colours
- Good scratch resistance
- Tear resistant
- Weather proof prints

#### Finish

- White matt

### Specifications

Width (mm)	297
Thickness	0.140 mm
Format	DIN A3
Grammage	195 g/m <sup>2</sup>
Length (mm)	420
Base Material	PET film
Packing quantity	100 sheets

### Compatibility

- For use on most Mono & Colour Laser Printers

### Handling

- Before printing, the film has to be conditioned in the print room to equalize the temperature of the material on the room temperature. Before inserting the paper in the single sheet tray of printer, the sheets should be fanned out thoroughly.

Please note dependant on climatic conditions sheets may exhibit a little more static at the output tray which may require monitoring.

After printing, the paper surplus should be removed from the printer and stored in its original packing.

### Storage

- Shelf life: 1 year after delivery
- In its original packing at 20-25°C, 45-55% humidity.

### Product liability clause

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.