

DATA SHEET 35000.100.43100

## X-500

A solvent free waterbased environmentally friendly universal coating, suitable for dry toner Copiers.

### Printing Systems



### Formats

Art.Number	Format	Nominal thickness (mm)	Packing quantity
35000.100.44000	A4	0.100	100
35000.100.43100	A3	0.100	50

### Technical data

#### Characteristic

- Excellent runnability
- Good flatness
- Excellent toner bonding
- Heat resistant
- Environmental friendly

#### Finish

- Clear transparent

#### Specifications

Coating Printsides	Copier mono
Width (inch)	11.69
Width (mm)	297
Printside	Printable both sides
Format	A3

Length (inch)	16.54
Length (mm)	420
Nominal thickness (mil)	4
Nominal thickness (mm)	0.100
Base Material	Polyester film
Packing quantity	50

**Compatibility**

- For use on Mono Copiers.

**Handling**

- Please follow the handling instructions supplied with this product as well as the machine manufacturers manual.
- Avoid moisture and fingerprints.

**Storage**

- Once packaging is opened, store at a room temperature of 15 - 25°C and at a humidity of 30 - 60 %
- Shelf life 1 year after delivery (under recommended storage conditions)
- Store in a cool and dry place

**Product liability clause**

The foregoing information and any consulting provided by us in terms of application engineering shall be given to our best knowledge, but shall not be considered binding information neither with regard to any third party industrial property rights. Any such consulting shall not relieve you from your own review of our current consulting information as to their suitability for the intended procedures and applications. It is the users responsibility to determine the suitability for his/her own use and application and test through the complete production process to ensure the product is fully suitable for the intended use, since conditions of use are beyond our control. The sale of our products shall be subject to our current General Terms and Conditions. We reserve the right to make changes that serve to improve the product.